

SAFETY DATA SHEET

XY GEGEN HOLZWUERMER NEU

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : XY GEGEN HOLZWUERMER NEU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Professional use
Consumer use

Uses advised against

Consumer use

Product use : Use in accordance with directions on the can.

1.3 Details of the supplier of the safety data sheet

Akzo Nobel Coatings GmbH Aubergstrasse 7 A-5161 Elixhausen

Telefon: +43 (0)810 / 500 138 Telefax: +43 (0)662 / 489 89 11

www.xyladecor.at

e-mail address of person : sdbinfo@akzonobel.com

responsible for this SDS

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number : +43 1 406 43 43

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Date of issue/Date of revision: 31-3-2025Version: 1Date of previous issue: No previous validation1/17AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 2: Hazards identification

Hazard pictograms





Signal word : Danger

Hazard statements : H304 - May be fatal if swallowed and enters airways.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements

General : P102 - Keep out of reach of children.

P101 - If medical advice is needed, have product container or label at hand.

Prevention : P273 - Avoid release to the environment.

Response : P391 - Collect spillage.

P301 + P310 + P331 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor. Do NOT induce vomiting.

Storage : P405 - Store locked up.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national or international regulations.

Hazardous ingredients

: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Supplemental label

elements

: Repeated exposure may cause skin dryness or cracking.

Annex XVII - Restrictions on the manufacture.

placing on the market and use of certain dangerous substances, mixtures and articles

: Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant

fastenings

: Yes, applicable.

Tactile warning of danger : Yes, applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No.

: This mixture does not contain any substances that are assessed to be a PBT or a

vPvB.

Other hazards which do not result in classification

1907/2006, Annex XIII

: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Specific Conc. Limits, M-factors and ATEs	Туре

Date of issue/Date of revision : 31-3-2025 Version : 1

AkzoNobel Date of previous issue : No previous validation 2/17

XY GEGEN HOLZWUERMER NEU

AT GEGENTIGEEN GENINELT NEC								
SECTION 3: Compo	sition/informati	ion on in	gredients					
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2% aromatics	REACH #: 01-2119457273-39 EC: 918-481-9 CAS: n/a	≥90	Asp. Tox. 1, H304 EUH066	-	[1]			
(2-methoxymethylethoxy) propanol	REACH #: 01-2119450011-60 EC: 252-104-2 CAS: 34590-94-8	≤10	Not classified.	-	[2]			
α-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate	CAS: 52315-07-8	≤0.3	Acute Tox. 4, H302 Acute Tox. 4, H332 STOT SE 3, H335 STOT RE 2, H373 (nervous system) Aquatic Acute 1, H400 Aquatic Chronic 1, H410 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 500 mg/kg ATE [Inhalation (dusts and mists)] = 3.3 mg/l M [Acute] = 100000 M [Chronic] = 100000	[1] [2]			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

Ingestion

- [1] Substance classified with a physical, health or environmental hazard
- [2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

I.1 Description of first aid measures	Į.1	Descri	ption	of	first a	aid	measures
---------------------------------------	-----	--------	-------	----	---------	-----	----------

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash skin thoroughly with soap and water or use recognized skin cleanser.

Skin contact : Wash skin thoroughly with soap and water or use recognized skin cleanser.

Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Wash clothing before reuse. Clean shoes thoroughly before reuse.

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

 Date of issue/Date of revision
 : 31-3-2025
 Version
 : 1

 Date of previous issue
 : No previous validation
 3/17
 AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 4: First aid measures

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation dryness cracking

Ingestion: Adverse symptoms may include the following:

nausea or vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous combustion

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special protective actions

for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

Special protective

equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for

chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

Date of issue/Date of revision : 31-3-2025 Version : 1

Date of previous issue : No previous validation 4/17 AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 6: Accidental release measures

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria

	Notification and MAPP threshold	Safety report threshold
E1	100 tonne	200 tonne

7.3 Specific end use(s)

Recommendations : Not available.
Industrial sector specific : Not available.
solutions

Date of issue/Date of revision : 31-3-2025 Version : 1

Date of previous issue : No previous validation 5/17 AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

(2-methoxymethylethoxy)propanol

Regulation on Limit Values - MAC (Austria, 4/2021). [Dipropylenglykolmonomethylether (Isomerengemisch)] Absorbed through skin.

CEIL: 614 mg/m³, 8 times per shift, 5 minutes. CEIL: 100 ppm, 8 times per shift, 5 minutes. TWA: 307 mg/m³, 8 times per shift, 8 hours. TWA: 50 ppm, 8 times per shift, 8 hours.

α-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate

Regulation on Limit Values - MAC (Austria, 4/2021). [Cyanide] Absorbed through skin.

TWA: 1 mg/m³, (measured as CN) 8 hours. Form: inhalable fraction

PEAK: 5 mg/m³, (measured as CN), 4 times per shift, 15 minutes. Form: inhalable fraction

procedures

Recommended monitoring: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
(2-methoxymethylethoxy)propanol	DNEL	Long term Oral	36 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	37.2 mg/m³	General population	Systemic
	DNEL	Long term Dermal	121 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	283 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	308 mg/m ³	Workers	Systemic

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Date of issue/Date of revision : 31-3-2025 Version : 1 **AkzoNobel** Date of previous issue : No previous validation 6/17

XY GEGEN HOLZWUERMER NEU

SECTION 8: Exposure controls/personal protection

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time >480 minutes according to EN374) is recommended. Recommended gloves: Viton @ or Nitrile, thickness ≥ 0.38 mm. When only brief contact is expected, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Wear a respirator conforming to EN140 with type A/P2 filter or better. Dry sanding, flame cutting and/or welding of the dry paint film will give rise to dust and/or hazardous fumes. Wet sanding/flatting should be used wherever possible. If exposure cannot be avoided by the provision of local exhaust ventilation, suitable respiratory protective equipment should be used.

Environmental exposure controls

Date of previous issue

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Date of issue/Date of revision : 31-3-2025

: 31-3-2025 Version : 1 : No previous validation 7/17 AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. Color : Colorless. : Characteristic. Odor : Not available. Odor threshold Melting point/freezing point : Not available. Boiling point, initial boiling : 187°C (368.6°F)

point, and boiling range

: Not available. Flammability

Lower and upper explosion

limit

: Greatest known range: Lower: 1.1% Upper: 14% ((2-methoxymethylethoxy)

propanol)

Flash point : Closed cup: 61°C (141.8°F) [Pensky-Martens]

Auto-ignition temperature

Ingredient name	°C	°F	Method
(2-methoxymethylethoxy)propanol	207	404.6	EU A.15

Decomposition temperature : Not available.

Hq : Not applicable. [DIN EN 1262]

: Kinematic (room temperature): 13 mm²/s [DIN EN ISO 3219] **Viscosity**

Kinematic (40°C): 6 mm²/s [DIN EN ISO 3219]

Solubility(ies)

Media	Result
cold water	Not soluble [OECD (TG 105)]

Partition coefficient: n-octanol/ : Not applicable.

water

Vapor pressure

	Vapor Pressure at 20°C			Va	e at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
(2-methoxymethylethoxy)propanol	0.05	0.0067				

: 0.8 g/cm3 [DIN EN ISO 2811-1] Density

Vapor density : Not available.

Particle characteristics

Median particle size : Not applicable.

Percentage of particles with aerodynamic diameter ≤ 10

: 0

Minimum ignition energy (mJ) : Not available. **Fundamental burning velocity** : Not applicable. **SADT** : Not available. **Heat of combustion** : Not available.

Aerosol product

Date of issue/Date of revision : 31-3-2025 Version : 1

AkzoNobel Date of previous issue : No previous validation 8/17

XY GEGEN HOLZWUERMER NEU

SECTION 9: Physical and chemical properties

Type of aerosol: Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
(2-methoxymethylethoxy) propanol	LD50 Dermal	Rabbit	10 mL/kg	-
	LD50 Oral	Rat	5.5 mL/kg	-
	LD50 Oral	Rat	5400 uL/kg	-
α-cyano-3-phenoxybenzyl 3- (2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate	LC50 Inhalation Dusts and mists	Rat	2.5 g/m³	4 hours
	LC50 Inhalation Dusts and mists	Rat	7889 mg/m³	4 hours
	LD50 Dermal	Rabbit	2460 mg/kg	-
	LD50 Intraperitoneal	Mouse	25 mg/kg	-
	LD50 Intraperitoneal	Rat	404 mg/kg	-
	LD50 Intraperitoneal	Rat	43 mg/kg	-
	LD50 Oral	Guinea pig	500 mg/kg	-
	LD50 Oral	Mouse	24570 µg/kg	-
	LD50 Oral	Rabbit	1500 mg/kg	-
	LD50 Oral	Rat	86 mg/kg	-
	LD50 Oral	Rat	57500 μg/kg	-
	LD50 Route of exposure unreported	Rat	400 mg/kg	-

Conclusion/Summary

: Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
α-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate	500	N/A	N/A	N/A	3.3

Date of issue/Date of revision: 31-3-2025Version: 1

Date of previous issue : No previous validation 9/17 AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 11: Toxicological information

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
(2-methoxymethylethoxy) propanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Conclusion/Summary

: Not available.

Sensitization

Conclusion/Summary

: Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
α-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
α-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate	Category 2	-	nervous system

Aspiration hazard

Product/ingredient name	Result
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	ASPIRATION HAZARD - Category 1

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

Skin contact: Defatting to the skin. May cause skin dryness and irritation.

Ingestion: May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation dryness cracking

Date of issue/Date of revision : 31-3-2025 Version : 1

Date of previous issue : No previous validation 10/17 AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 11: Toxicological information

Ingestion: Adverse symptoms may include the following:

nausea or vomiting

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary: Not available.

General: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/

or dermatitis.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

No additional information.

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the mixture itself.

Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

Product/ingredient name	Result	Species	Exposure
α-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate	Acute EC50 0.007 μg/l Marine water	Crustaceans - Eohaustorius estuarius	48 hours
	Acute EC50 0.008 μg/l Marine water	Crustaceans - Eohaustorius estuarius	48 hours
	Acute EC50 0.00031 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 0.42 ppb Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 0.35 μg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute EC50 0.1 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 0.01 µg/l Fresh water	Crustaceans - Hyalella curvispina	48 hours
	Acute LC50 0.024 μg/l Fresh water	Crustaceans - Hyalella curvispina	48 hours
	Acute LC50 0.0119 μg/l Fresh water	Crustaceans - Trichodactylus	48 hours

Date of issue/Date of revision : 31-3-2025 Version : 1

Date of previous issue : No previous validation 11/17 AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 12: Ecological information

Acute LC50 0.36 µg/l Fresh water Acute LC50 0.73 ppb Marine water Acute LC50 0.23 µg/l Fresh water Acute LC50 0.39 ppb Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Acute LC50 0.5 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 µg/l Fresh water Chronic NOEC 0.01 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.00 ng/L Fresh water Chronic NOEC 100 ng/L Fresh water Chroni	a .			
Acute LC50 0.73 ppb Marine water Acute LC50 0.23 µg/l Fresh water Acute LC50 0.39 ppb Fresh water Acute LC50 0.3 ppb Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.002 ng/L Fresh water Chronic NOEC 0.001 µg/l Fresh water Chronic NOEC 0.002 ng/L Fresh water Chronic NOEC 0.003 ng/L Fresh water Chronic NOEC 0.004 ng/L Fresh water Chronic NOEC 0.006 ng/L Fresh water Chronic NOEC 0.007 ng/L Fresh wat			borellianus	
Acute LC50 0.23 µg/l Fresh water Acute LC50 0.39 ppb Fresh water Acute LC50 0.4 µg/l Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.002 µg/l Fresh water Chronic NOEC 0.002 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.002 µg/l Fresh water Chronic NOEC 0.0002 µg/l Fresh water Chronic NOEC 0.0002 µg/l Fresh water Chronic NOEC 0.00000000000000000000000000000000000		Acute LC50 0.36 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
Acute LC50 0.23 µg/l Fresh water Acute LC50 0.39 ppb Fresh water Acute LC50 0.4 µg/l Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.002 µg/l Fresh water Chronic NOEC 0.002 µg/l Fresh water Chronic NOEC 0.02 µg/l Fresh water Chronic NOEC 0.002 µg/l Fresh water Chronic NOEC 0.0002 µg/l Fresh water Chronic NOEC 0.0002 µg/l Fresh water Chronic NOEC 0.00000000000000000000000000000000000		Acute LC50 0.73 ppb Marine water	Fish - Cyprinodon variegatus	96 hours
Acute LC50 0.5 µg/l Fresh water Acute LC50 0.4 µg/l Fresh water Chronic NOEC 50 mg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.001 ng/L Fresh water Chronic NOEC 0.002 ng/L Fresh water Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC		Acute LC50 0.23 µg/l Fresh water	Fish - Labeo rohita - Fry	96 hours
Acute LC50 0.4 µg/l Fresh water Chronic NOEC 50 mg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 µg/l Fresh water Chronic NOEC 0.02 ng/L Fres		Acute LC50 0.39 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
Chronic NOEC 50 mg/l Fresh water Chronic NOEC 50 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Acute LC50 0.5 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Chronic NOEC 50 mg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.04 ng/L Fresh water Chronic NOEC 0.05 ng/L Fresh water Chronic NOEC 0.06 ng/L Fresh water Chronic NOEC 100 ng/L Fresh water		Acute LC50 0.4 µg/l Fresh water	Fish - Scardinius	96 hours
Chronic NOEC 50 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.09 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water			erythrophthalmus	
Chronic NOEC 50 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.00 ng/L Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 50 mg/l Fresh water	Algae - Scenedesmus acutus	96 hours
Chronic NOEC 50 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water		_	var. acutus - Exponential	
Chronic NOEC 50 μg/l Fresh waterdemersum Aquatic plants - Ceratophyllum demersum3 daysChronic NOEC 50 μg/l Fresh waterAquatic plants - Ceratophyllum demersum4 daysChronic NOEC 50 μg/l Fresh waterAquatic plants - Ceratophyllum demersum4 daysChronic NOEC 50 μg/l Fresh waterAquatic plants - Ceratophyllum demersum4 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Neonate21 daysChronic NOEC 0.0002 ng/L Fresh waterDaphnia - Daphnia magna - Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.1 μg/l Fresh waterFish - Odontesthes bonariensis - Larvae6 weeksChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 days				
Chronic NOEC 50 μg/l Fresh waterdemersum Aquatic plants - Ceratophyllum demersum3 daysChronic NOEC 50 μg/l Fresh waterAquatic plants - Ceratophyllum demersum4 daysChronic NOEC 50 μg/l Fresh waterAquatic plants - Ceratophyllum demersum4 daysChronic NOEC 50 μg/l Fresh waterAquatic plants - Ceratophyllum demersum4 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Neonate21 daysChronic NOEC 0.0002 ng/L Fresh waterDaphnia - Daphnia magna - Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.1 μg/l Fresh waterFish - Odontesthes bonariensis - Larvae6 weeksChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 days		Chronic NOEC 50 µg/l Fresh water	Aquatic plants - Ceratophyllum	3 days
Chronic NOEC 50 μg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water				-
Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.002 ng/L Fresh water Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 50 µg/l Fresh water	Aquatic plants - Ceratophyllum	3 days
Chronic NOEC 50 μg/l Fresh waterdemersum4 daysChronic NOEC 50 μg/l Fresh waterAquatic plants - Ceratophyllum demersum4 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Neonate21 daysChronic NOEC 20 ng/L Fresh waterDaphnia - Daphnia magna - Neonate21 daysChronic NOEC 20 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.1 μg/l Fresh waterFish - Odontesthes bonariensis - Larvae6 weeksChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 days		, -	demersum	•
Chronic NOEC 50 µg/l Fresh water Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.01 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 50 µg/l Fresh water	Aquatic plants - Ceratophyllum	4 days
Chronic NOEC 50 μg/l Fresh waterdemersum4 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Neonate21 daysChronic NOEC 0.0002 ng/L Fresh waterDaphnia - Daphnia magna - Neonate21 daysChronic NOEC 20 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.1 μg/l Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.1 μg/l Fresh waterFish - Odontesthes bonariensis - Larvae6 weeksChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 days		, -	demersum	•
Chronic NOEC 50 µg/l Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.002 ng/L Fresh water Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 50 µg/l Fresh water	Aquatic plants - Ceratophyllum	4 days
demersumChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - NeonateChronic NOEC 20 ng/L Fresh waterDaphnia - Daphnia magna - NeonateChronic NOEC 20 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)Chronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)Chronic NOEC 0.1 μg/l Fresh waterFish - Odontesthes bonariensis - LarvaeChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)Chronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)Chronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)Chronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)Chronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)Chronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)			demersum	-
Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water Z1 days		Chronic NOEC 50 µg/l Fresh water	Aquatic plants - Ceratophyllum	4 days
Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water			demersum	
Chronic NOEC 0.0002 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 0.02 ng/L Fresh water		21 days
water Chronic NOEC 20 ng/L Fresh waterNeonate Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.02 ng/L Fresh waterDaphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)21 daysChronic NOEC 0.1 μg/l Fresh waterFish - Odontesthes bonariensis - Larvae6 weeksChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 daysChronic NOEC 100 ng/L Fresh waterFish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)28 days			Neonate	
Chronic NOEC 20 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 0.0002 ng/L Fresh	Daphnia - Daphnia magna -	21 days
Juvenile (Fledgling, Hatchling, Weanling) Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water Survey in the degling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Chronic NOEC 100 ng/L Fresh water				
Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 20 ng/L Fresh water		21 days
Chronic NOEC 0.02 ng/L Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 1.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water				
Juvenile (Fledgling, Hatchling, Weanling) Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water				
Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 0.02 ng/L Fresh water		21 days
Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water				
Chronic NOEC 0.1 μg/l Fresh water Chronic NOEC 100 ng/L Fresh water				
Chronic NOEC 0.1 µg/l Fresh water Chronic NOEC 100 ng/L Fresh water		Chronic NOEC 0.1 µg/l Fresh water	Fish - Odontesthes bonariensis -	6 weeks
Chronic NOEC 100 ng/L Fresh water				
Chronic NOEC 100 ng/L Fresh water Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)		Chronic NOEC 0.1 µg/l Fresh water		6 weeks
Juvenile (Fledgling, Hatchling, Weanling) Chronic NOEC 100 ng/L Fresh water Chronic NOEC 100 ng/L Fresh water Chronic NOEC 100 ng/L Fresh water Juvenile (Fledgling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)				
Weanling) Chronic NOEC 100 ng/L Fresh water Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Juvenile (Fledgling, Hatchling,		Chronic NOEC 100 ng/L Fresh water		28 days
Chronic NOEC 100 ng/L Fresh water Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) Chronic NOEC 100 ng/L Fresh water Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Juvenile (Fledgling, Hatchling,				
Juvenile (Fledgling, Hatchling, Weanling) Chronic NOEC 100 ng/L Fresh water Juvenile (Fledgling, Hatchling, 28 days Juvenile (Fledgling, Hatchling,				
Chronic NOEC 100 ng/L Fresh water Weanling) Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling,		Chronic NOEC 100 ng/L Fresh water		28 days
Chronic NOEC 100 ng/L Fresh water Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling,				
Juvenile (Fledgling, Hatchling,				
		Chronic NOEC 100 ng/L Fresh water		28 days
Weanling)				
			Weanling)	

Conclusion/Summary: Not available.

12.2 Persistence and degradability

Conclusion/Summary: Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
(2-methoxymethylethoxy) propanol	0.004	-	low
α-cyano-3-phenoxybenzyl 3- (2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate		-	high

Date of issue/Date of revision: 31-3-2025Version: 1Date of previous issue: No previous validation12/17AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 12: Ecological information

12.4 Mobility in soil

Soil/water partition

: Not available.

coefficient (Koc) Mobility

: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: The classification of the product may meet the criteria for a hazardous waste.

Disposal considerations

: Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no

longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

Waste code	Waste designation
EWC 08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances

Packaging

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Disposal considerations

: Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers.

Empty containers must be scrapped or reconditioned.

Dispose of containers contaminated by the product in accordance with local or

national legal provisions.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

: 31-3-2025 Date of issue/Date of revision Version : 1 13/17

Date of previous issue : No previous validation **AkzoNobel**

XY GEGEN HOLZWUERMER NEU

SECTION 14: Transport information

	ADR/RID	IMDG
14.1 UN number or ID number	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-cyano- 3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate cis/trans +/- 40/60)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-cyano- 3-phenoxybenzyl 3-(2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate cis/trans +/- 40/60)
14.3 Transport hazard class(es)	9	9
14.4 Packing group	III	III
14.5 Environmental hazards	Yes.	Marine Pollutant(s): alpha-cyano-3-phenoxybenzyl 3- (2,2-dichlorovinyl) -2,2-dimethylcyclopropanecarboxylate cis/trans +/- 40/60

Additional information

ADR/RID

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Tunnel code (-)

IMDG

: Emergency schedules F-A, S-F

This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2

and 4.1.1.4 to 4.1.1.8.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

: 31-3-2025 Date of issue/Date of revision Version : 1 **AkzoNobel** Date of previous issue : No previous validation 14/17

XY GEGEN HOLZWUERMER NEU

SECTION 15: Regulatory information

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

VOC : The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the

product label and/or technical data sheet for further information.

VOC for Ready-for-Use

Mixture

: Not available.

: Not listed

: Not listed

Industrial emissions (integrated pollution

prevention and control) -

Air

Industrial emissions

(integrated pollution prevention and control) -

Water

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Ozone depleting substances (1005/2009/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category

E1

National regulations

Biocidal products regulation

Active substances

Ingredient name

α-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Product type

Uses

Wood preservatives (PT 8)

Restrictions on use : Consumer use and Professional use

VbF class : A III Limitation of the use of : Permitted.

organic solvents

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Date of issue/Date of revision : 31-3-2025 Version : 1

AkzoNobel Date of previous issue : No previous validation 15/17

XY GEGEN HOLZWUERMER NEU

SECTION 15: Regulatory information

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical Safety

Assessment

: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and

acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Asp. Tox. 1, H304	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

Full text of abbreviated H statements

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1	AQUATIC HAZARD (LONG-TERM) - Category 1
Asp. Tox. 1	ASPIRATION HAZARD - Category 1
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY (REPEATED
	EXPOSURE) - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -
	Category 3

Date of printing : 31-3-2025

Date of issue/Date of revision: 31-3-2025Version: 1Date of previous issue: No previous validation16/17AkzoNobel

XY GEGEN HOLZWUERMER NEU

SECTION 16: Other information

Date of issue/ Date of

: 31-3-2025

revision

Date of previous issue : No previous validation

Version : 1

Unique ID : 8DEBAD5DC0511FE083C12F4DE856FC91

Notice to reader

IMPORTANT NOTE: The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Date of issue/Date of revision : 31-3-2025 Version : 1

Date of previous issue : No previous validation 17/17 AkzoNobel