


# ENERGIZER A91

AA



## Industry Standard Dimensions




## Specifications

|                         |  |
|-------------------------|--|
| <b>Classification:</b>  | Alkaline   |
| <b>Chemical System:</b> | Zinc-Manganese Dioxide (Zn/MnO <sub>2</sub> )<br>No added mercury or cadmium |
| <b>Designation:</b>     | ANSI-15A, IEC-LR6  |
| <b>Nominal Voltage:</b> | 1.5 volts  |
| <b>Operating Temp:</b>  | -18°C to 55°C (0°F to 130°F)   |
| <b>Typical Weight:</b>  | 23.0 grams (0.8 oz.)   |
| <b>Typical Volume:</b>  | 8.1 cubic centimeters (0.5 cubic inch)                                       |
| <b>Jacket:</b>          | Plastic Label  |
| <b>Shelf Life:</b>      | 10 years at 21°C   |
| <b>Terminal:</b>        | Flat Contact   |

## Performance Comparison

A91 vs. Typical Carbon Zinc (AA) at 21°C




Industry Standard Testing Protocol

## Device Selection Guide:

|                   |  |
|-------------------|--|
| Digital Camera    |  |
| Photoflash        |  |
| Games, CD's, MD's |  |
| Tape Player       |  |
| Lighting          |  |
| Toy               |  |
| Remote Control    |  |
| Radio             |  |
| Clock             |  |

## Battery Selection Indicator



## Important Notice

This datasheet contains typical information specific to products manufactured at the time of its publication.  
**Contents herein do not constitute a warranty and are for reference only.**